Dated 2020-03-24



Technical Report

China

LONGi Green Energy Technology Co., Ltd. Applicant:

No.388, Middle Hangtian Road, Chang' an District, Xi' an, Shaanxi 710100,

P.R.China

Wu Jing Attn:

LONGi Green Energy Technology Co., Ltd. Manufacturer:

Refer to next pages Test subject:

Test specification: **Extractable Heavy Metals Test**

Using the Toxicity Characteristic Leaching Procedure, test Method EPA

1311:1992, analysis was performed by ICP-OES.

Refer to the data listed in following pages Test result:

Conclusion: Extractable Heavy Metals Test **Pass**

Remarks: The result relates only to the items tested

Samples were tested as received

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u> Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

> Tel.: +86-21-6037-6501 Page 1 of 25

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



1. Order

Date of Purchase Order, 2020-03-10

1.2 **Customer's Reference**

1.3 **Receipt Date of Test Sample** 2020-03-10

1.4 **Date of Testing** 2020-03-10~2020-03-19

1.5 **Document submitted**

1.6 **Location of Testing** TÜV PS SHA

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

2. Description of the tested subject

| No. | Tested sample | Picture |
|-----|-------------------------|---|
| 001 | PERC Half Cell | 4 5 6 7 8 9 100 1 2 3 4 5 |
| 002 | Bifacial PERC Half Cell | 4 5 6 7 8 91001 2 3 4 |
| 003 | Front cover | 7 8 9 100 1 2 3 4 5 6 7 8 9 110 1 2 3 4 5 6 7 8 9 120 1 2 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Tel.: +86-21-6141-0123 Fax: +86-21-6140-8600 www.tuv-sud.cn info@tuv-sud.cn

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|-----|---------------------|---|
| 004 | String connector | 3 4 5 6 7 8 9 1 1 0 1 2 3 4 5 6 7 8 |
| 005 | Cell interconnector | 3 4 5 6 7 8 9 110 1 2 3 4 5 6 7 8 9 120 1 2 3 |
| 006 | Backsheet(Black) | 91001 2 3 4 5 6 7 8 91101 2 3 4 5 6 7 8 91201 2 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|-----|----------------------------------|---|
| 007 | Frame(Black) | 91001 2 3 4 5 6 7 8 91101 2 3 4 5 6 7 8 91201 2 3 4 5 6 |
| 008 | Frame | 91001 2 3 4 5 6 7 8 9110 1 2 3 4 5 6 7 8 9120 1 2 3 4 5 6 |
| 009 | Adhesive/Potting material(Black) | 6 7 8 9 110 1 2 3 4 5 6 7 8 9 120 1 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|---------------------------|---|
| 0010 | Adhesive/Potting material | 5 6 7 8 9 110 1 2 3 4 5 6 7 8 9 120 1 |
| 0011 | Black plastic shell | 3 4 5 6 7 8 9 110 1 2 3 4 5 6 7 8 9 120 1 2 3 |
| 0012 | Junction box | 3 4 5 6 7 8 9110 1 2 3 4 5 6 7 8 9 120 1 2 3 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Shanghai Chemical Lab

No. 1999 Du Hui Road

Tel.: +86-21-6141-0123 Fax: +86-21-6140-8600

www.tuv-sud.cn info@tuv-sud.cn Tel.: +86-21-6037-6501

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|---------------------|---|
| | | |
| | | 3 4 5 6 7 8 9 110 1 2 3 4 5 6 7 8 9 17 |
| | | 7 8 9 110 1 2 3 4 5 |
| | | 7 0 3 110 1 2 3 4 3 |
| 0013 | Silvery metal slice | 3 4 5 6 7 8 9 110 1 2 3 4 5 6 7 8 9 120 1 2 3 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Tel.: +86-21-6141-0123

Page 7 of 25

Fax: +86-21-6140-8600 www.tuv-sud.cn

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|---------------|---|
| 0014 | Coppery metal | 1101-2345678912012 |
| 0015 | Cable | 1 2 3 4 5 6 7 8 9 110 1 2 3 4 5 6 7 8 9 120 1 2 3 4 5 6 7 8 9 130 1 1 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|--------------------|---|
| 0016 | Connector | 3 4 5 6 7 8 9 120 1 2 3 7 8 9 100 1 2 3 4 5 6 7 |
| 0017 | Grey plastic shell | 3 4 5 6 7 8 91201 2 3 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

www.tuv-sud.cn info@tuv-sud.cn

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|------------------------|-------------------------|
| | | 7 8 9 100 1 2 3 4 5 6 7 |
| 0018 | Grey soft plastic ring | 3 4 5 6 7 8 91201 2 3 |
| | | 3 9 100 1 2 3 4 5 6 7 8 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Tel.: +86-21-6141-0123 Fax: +86-21-6140-8600

www.tuv-sud.cn info@tuv-sud.cn

Page 10 of 25

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|-------------------|------------------------|
| | | 7 8 9 110 1 2 3 4 5 6 |
| 0019 | Silvery metal rod | 234567891101 |
| | | 5 6 7 8 9 1 10 1 2 3 4 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Fax: +86-21-6140-8600

www.tuv-sud.cn

Page 11 of 25

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|---------------------|-----------------------|
| 0020 | Silvery metal wire | 7 8 9 120 1 2 3 |
| 0021 | Silvery metal slice | 5 6 7 8 9 110 1 2 3 4 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|-------------------------|------------------------------|
| 0022 | Black soft plastic ring | 5 6 7 8 9 110 1 2 3 4 |
| 0023 | Black plastic frame | 5 6 7 8 9 110 1 2 3 4 |
| 0024 | Black plastic shell | 3 9 110 1 2 3 4 5 6 7 8 9 12 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Tel.: +86-21-6141-0123

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|------------------------|--------------------------------|
| | | 3.91001 2 3 4 5 6 7 8 |
| 0025 | Red soft plastic block | 8 9 110 1 2 3 4 5 6 7 8 9 12 1 |
| 0026 | Black plastic shell | 3 9 110 1 2 3 4 5 6 7 8 9 12 1 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|---------------------|--|
| | | \$ 3 4 5 6 7 8 9 100 1 2 3 4 5 6 7 8 9 110 1 2 3 4 5 6 7 8 9 120 \ 2 3 |
| 0027 | Coppery metal block | 9110123456789 |
| 0028 | Solder Wire | 3 9 110 1 2 3 4 5 6 7 8 9 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

| No. | Tested sample | Picture |
|------|---------------|---------------------|
| 0029 | Diode | 2 3 4 5 6 7 8 9 120 |

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Shanghai Chemical Lab

No. 1999 Du Hui Road

Tel.: +86-21-6141-0123 Fax: +86-21-6140-8600

www.tuv-sud.cn info@tuv-sud.cn Tel.: +86-21-6037-6501

Dated 2020-03-24



China

3. Test Results

3.1 Extractable Heavy Metals Test

Using the Toxicity Characteristic Leaching Procedure, test Method EPA 1311:1992, analysis was performed by ICP-OFS

| Test item | MDL | | Res | sult | | Regulatory Level |
|--------------|--------|------|------|------|------|------------------|
| | (mg/L) | 001 | 002 | 003 | 004 | (mg/L) |
| Arsenic (As) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Barium(Ba) | 0.2 | 7.8 | 2.3 | <0.2 | <0.2 | 100.0 |
| Cadmium(Cd) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Chromium(Cr) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Lead (Pb) | 0.2 | 0.9 | <0.2 | <0.2 | <0.2 | 5.0 |
| Mercury(Hg) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 0.2 |
| Selenium(Se) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Silver(Ag) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |

Remark:

- 1. MDL = Method Detection Limit
- 2. ND = Not detected (<MDL)
- 3. "mg/L" denotes "milligram per liter"
- 4. Maximum Concentration quote from 40 CFR 261.24 Toxicity characteristic table 1: Maximum Concentration of Contaminants for the Toxicity Characteristic

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

3.1 Extractable Heavy Metals Test

Using the Toxicity Characteristic Leaching Procedure, test Method EPA 1311:1992, analysis was

| performed by ICP-O | performed by ICP-OES. | | | | | | |
|--------------------|-----------------------|--------|------|------|------|------------------|--|
| Test item | MDL | Result | | | | Regulatory Level | |
| | (mg/L) | 005 | 006 | 007 | 800 | (mg/L) | |
| Arsenic (As) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 | |
| Barium(Ba) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 100.0 | |
| Cadmium(Cd) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 | |
| Chromium(Cr) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 | |
| Lead (Pb) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 | |
| Mercury(Hg) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 0.2 | |
| Selenium(Se) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 | |
| | | | | | | | |

Remark:

Silver(Ag)

- 1. MDL = Method Detection Limit
- 2. ND = Not detected (<MDL)
- 3. "mg/L" denotes "milligram per liter"

0.2

< 0.2

4. Maximum Concentration quote from 40 CFR 261.24 - Toxicity characteristic table 1: Maximum Concentration of Contaminants for the Toxicity Characteristic

< 0.2

< 0.2

< 0.2

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

5.0

Dated 2020-03-24



China

3.1 Extractable Heavy Metals Test

Using the Toxicity Characteristic Leaching Procedure, test Method EPA 1311:1992, analysis was

| Test item | MDL | | Res | | Regulatory Level | |
|--------------|--------|------|------|------|------------------|--------|
| | (mg/L) | 009 | 010 | 011 | 012 | (mg/L) |
| Arsenic (As) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Barium(Ba) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 100.0 |
| Cadmium(Cd) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Chromium(Cr) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Lead (Pb) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Mercury(Hg) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 0.2 |
| Selenium(Se) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Silver(Ag) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |

Remark:

- 1. MDL = Method Detection Limit
- 2. ND = Not detected (<MDL)
- 3. "mg/L" denotes "milligram per liter"
- 4. Maximum Concentration quote from 40 CFR 261.24 Toxicity characteristic table 1: Maximum Concentration of Contaminants for the Toxicity Characteristic

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u> Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Shanghai Chemical Lab

No. 1999 Du Hui Road

Tel.: +86-21-6037-6501

Dated 2020-03-24



China

3.1 Extractable Heavy Metals Test

Using the Toxicity Characteristic Leaching Procedure, test Method EPA 1311:1992, analysis was

| Test item | MDL | | Res | | Regulatory Level | |
|--------------|--------|------|------|------|------------------|--------|
| | (mg/L) | 013 | 014 | 015 | 016 | (mg/L) |
| Arsenic (As) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Barium(Ba) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 100.0 |
| Cadmium(Cd) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Chromium(Cr) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Lead (Pb) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Mercury(Hg) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 0.2 |
| Selenium(Se) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Silver(Ag) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |

Remark:

- 1. MDL = Method Detection Limit
- 2. ND = Not detected (<MDL)
- 3. "mg/L" denotes "milligram per liter"
- 4. Maximum Concentration quote from 40 CFR 261.24 Toxicity characteristic table 1: Maximum Concentration of Contaminants for the Toxicity Characteristic

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Shanghai Chemical Lab

No. 1999 Du Hui Road

Tel.: +86-21-6141-0123

Dated 2020-03-24



China

3.1 Extractable Heavy Metals Test

Using the Toxicity Characteristic Leaching Procedure, test Method EPA 1311:1992, analysis was performed by ICP-OFS

| Test item | MDL | | Res | sult | | Regulatory Level |
|--------------|--------|------|------|------|------|------------------|
| | (mg/L) | 017 | 018 | 019 | 020 | (mg/L) |
| Arsenic (As) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Barium(Ba) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 100.0 |
| Cadmium(Cd) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Chromium(Cr) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Lead (Pb) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Mercury(Hg) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 0.2 |
| Selenium(Se) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Silver(Ag) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |

Remark:

- 1. MDL = Method Detection Limit
- 2. ND = Not detected (<MDL)
- 3. "mg/L" denotes "milligram per liter"
- 4. Maximum Concentration quote from 40 CFR 261.24 Toxicity characteristic table 1: Maximum Concentration of Contaminants for the Toxicity Characteristic

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u> Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

3.1 Extractable Heavy Metals Test

Using the Toxicity Characteristic Leaching Procedure, test Method EPA 1311:1992, analysis was performed by ICP-OES

| Test item | MDL | | Res | sult | | Regulatory Level |
|--------------|--------|------|------|------|------|------------------|
| | (mg/L) | 021 | 022 | 023 | 024 | (mg/L) |
| Arsenic (As) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Barium(Ba) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 100.0 |
| Cadmium(Cd) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Chromium(Cr) | 0.2 | 0.3 | <0.2 | <0.2 | <0.2 | 5.0 |
| Lead (Pb) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Mercury(Hg) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 0.2 |
| Selenium(Se) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Silver(Ag) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |

Remark:

- 1. MDL = Method Detection Limit
- 2. ND = Not detected (<MDL)
- 3. "mg/L" denotes "milligram per liter"
- 4. Maximum Concentration quote from 40 CFR 261.24 Toxicity characteristic table 1: Maximum Concentration of Contaminants for the Toxicity Characteristic

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u> Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

3.1 Extractable Heavy Metals Test

Using the Toxicity Characteristic Leaching Procedure, test Method EPA 1311:1992, analysis was performed by ICP-OFS

| Test item | MDL | | Res | Regulatory Level | | |
|--------------|--------|------|------|------------------|------|--------|
| | (mg/L) | 025 | 026 | 027 | 028 | (mg/L) |
| Arsenic (As) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Barium(Ba) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 100.0 |
| Cadmium(Cd) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Chromium(Cr) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Lead (Pb) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 5.0 |
| Mercury(Hg) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 0.2 |
| Selenium(Se) | 0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1.0 |
| Silver(Ag) | 0.2 | 0.3 | <0.2 | <0.2 | <0.2 | 5.0 |

Remark:

- 1. MDL = Method Detection Limit
- 2. ND = Not detected (<MDL)
- 3. "mg/L" denotes "milligram per liter"
- 4. Maximum Concentration quote from 40 CFR 261.24 Toxicity characteristic table 1: Maximum Concentration of Contaminants for the Toxicity Characteristic

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u> Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



China

3.1 Extractable Heavy Metals Test

Using the Toxicity Characteristic Leaching Procedure, test Method EPA 1311:1992, analysis was performed by ICP-OES

| Took itom | MDL | Result | Be mulete mule evel (men/le) | |
|--------------|--------|--------|------------------------------|--|
| Test item | (mg/L) | 029 | Regulatory Level (mg/L) | |
| Arsenic (As) | 0.2 | <0.2 | 5.0 | |
| Barium(Ba) | 0.2 | <0.2 | 100.0 | |
| Cadmium(Cd) | 0.2 | <0.2 | 1.0 | |
| Chromium(Cr) | 0.2 | <0.2 | 5.0 | |
| Lead (Pb) | 0.2 | <0.2 | 5.0 | |
| Mercury(Hg) | 0.2 | <0.2 | 0.2 | |
| Selenium(Se) | 0.2 | <0.2 | 1.0 | |
| Silver(Ag) | 0.2 | <0.2 | 5.0 | |

Remark:

- 1. MDL = Method Detection Limit
- 2. ND = Not detected (<MDL)
- 3. "mg/L" denotes "milligram per liter"
- 4. Maximum Concentration quote from 40 CFR 261.24 Toxicity characteristic table 1: Maximum Concentration of Contaminants for the Toxicity Characteristic

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u> Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road

Dated 2020-03-24



TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch Chemical Lab

Engineer:

Checked by

- End of Report -

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch #151, Hengtong Road Shanghai 200 070 P. R. China

Tel.: +86-21-6037-6501

Shanghai Chemical Lab

No. 1999 Du Hui Road